

Trailers * Plows * Spreaders * Services

747 Portsmouth Ave Route 33

Greenland, NH 03840

Phone: 603-431-8445

Mon-Fri 8am-5pm

UTV BIZ

RECEIVED

JUL 20 many

TOWN OF BARRINGTON



www.repusa.com

747 Portsmouth Ave. Greenland, NH 03840

(603) 431-8445 Phone (603) 436-1962 Fax

July 19, 2021

Trailer Quote FOR:

2021 6.10X12' Gator-Made Trailer

GVW: 7,000

Curb-weight: 1,580

Payload: 5,420

Axles: Tires: 3,500 Spring ST205/75R15 LRC

Color: Black

STANDARD FEATURES:

- Heavy-duty black Gator Tuff powder coat finish
- Rated 7k GVWR
- 5" C-channel tongue
- 2 5/16 coupler
- Leaf spring suspension
- 1ft tall around rails
- (4) new #15 radial tires
- maintenance (2) 3500 lb Dexter axles with electric brakes in all wheels and easy lube hubs for
- Heavy-duty diamond tread fenders
- LED tail lights
- Safety spring assisted ramp gate power up and down
- Complete breakaway system

- Prewired harness with 7-way connector
- 82" between fenders
- Stake pockets for tie-downs

Sale price	Discount	MSRP base price including freight:
4,195.00	-605.00	4,800.00

Town of Barrington

UTV Bid Specifications

specifications: Barrington Fire & Rescue is soliciting bids for a current model year UTV with the following

- Minimum 900cc engine
- ROPS Approved cage
- Seatbelts for all riding positions
- Power steering
- Locking front differential
- Person Capacity = 3
- 2 charging ports
- 4-wheeled drive
- Winch
- Blinker kit
- 2" receiver hitch
- Minimum Cargo box size = 36.75"x54.25"x12.5"
- Cargo Box capacity = 1000 pounds
- Minimum Ground Clearance = 10.5"
- Repair Manual
- Parts Manual
- Color: Any solid color

Bidder
Complies
S YES
NO
Price:

IF NO please provide alternative below:

We would like pricing on additional UTV items not included in this solicitation:

Bumper with brush guard	Roof	Windshield	ltem
-			Price

Trailer Specification

Description:

approved safety chains Year 2021 Spring assist (gate), Solid color primed & painted, Pressure treated Wood plank decking, DOT mount jack, 7-way RV style plug, Exterior LED lighting, Stake pockets, 4' Rear drop gate, ST205/75R15 Tires, Dexter spring axles, (4) Electric Brakes, 2-5/16" Fixed coupler, Center 82"X12', Steel Utility/Landscape-7,000 GVW, 1,580 Curb weight, 5,420 Payload,

Bidder Complies: Yes X No Price

Price: 4, 195, 00

IF no please provide an alternative below:

Mobile Fire Skid Unit

TANK

The tank shall have the following characteristics:

- 40-gallon Polypropylene tank
- 3/8" internal baffles with interlocking design to meet NFPA standards
- Pump suction plumbed to the center of the tank with anti-cavitation device
- 1-1/2" tank drain
- 4" vented fill tower
- Site tube to gauge water level
- Flange-mounted anchor points to secure the skid unit to the bed Mounting pad for hose

PUMP & ENGINE

The pump system shall have the following characteristics:

- Honda GXH50 2.2hp engine with recoil start and low oil sensor with Koshin 1-1/2" selfpriming centrifugal pump (61 PSI Max; 73 GPM Max)
- 1-1/2" auxiliary suction
- 10' hard suction with foot valve
- 1-1/2" discharge
- l" to hose reel
- 2" tank to pump
- 1" pump to tank fill/return
- All plumbing to be of either composite polypropylene, brass, or stainless steel

HOSE & ASSOCIATED COMPONENTS

The hose and associated hardware shall have the following characteristics:

- 3/4" X 50" of rubber booster hose
- Hannay manual rewind hose reel
- 10-23 GPM Viper Nozzle

	5	1
۲	P	•
ļ	9	=
•	=	

	•)
•	してく	7
(Weight	
	140IDS	1 4011-

140	Complies: Yes No Price:
-----	-------------------------

IF no please provide an alternative below

EMS Skid Unit

STRUCTURE

The structure shall have the following characteristics:

- $MTECH\ PolyTough^{TM}\ extrusion-welded\ Copolymer\ Polypropylene\ construction$
- Flange-mounted anchor points to secure the skid unit to the UTV bed
- Adjustable (fore and aft) padded attendant seat with safety belt
- Rescue litter area for stokes basket or long board
- Integral grab rails at rescue area and aside the attendant area for easy skid removal and for tiedown of patient and stowage

ı	t	7	
ı	THE		Š
Ì	ζ		5
ļ	•		
ı			1
ı	3	5	
ı	=	ī	
ŀ		9	
ı	Ē		

• 120 lbs.

Bidder Complies: Yes_____No____ Price:_____

IF no please provide an alternative below:

UTV Tracks

- 1 set of UTV tracks compatible with a 900CC machine.
- Mounting Hardware Installation manuals

Note: UTV make & model will not be available until time of purchase. Please provide pricing for any additional mounting hardware which may be needed.

Bidder Complies:	
Yes	
No	
Price:	

IF no please provide an alternative below: