

## THE STATE OF NEW HAMPSHIRE **DEPARTMENT OF TRANSPORTATION**



## CAROL A. MURRAY, P.E. COMMISSIONER Permit No:

06-351-298

**DRIVEWAY PERMIT** 

District:

Six

Town:

Nottingham

To:

Gerrior Lane Trust

Route:

Route 4

P.O. Box 41

Barrington, N.H. 03825

December 2, 2004

Permission is hereby granted to construct (alter) a driveway, entrance, exit or approach adjoining Route 4, pursuant to the location and specifications as described below. Failure to adhere to the standards and engineering drawings previously approved shall render this instrument null and void. Failure to start or complete construction of said facility within one calendar year of the date of this permit shall require application for permit extension or renewal in accordance with the Driveway Access Rules. Facilities constructed in violation of the permit specifications or the Rules shall be corrected immediately upon notification by a Department representative. Any cost by the State to correct deficiencies shall be fully borne by the landowner. The landowner shall defend, indemnify and hold harmless the Department and its duly appointed agents and employees against any action for personnel injury and/or property damage sustained by reason of the exercise of this permit.

LOCATION: On the north side of Route 4 in Nottingham 650 feet east of Tremblay Drive.

## SPECIFICATIONS:

- This permit requires that the area adjacent to the highway be graded such that the surface will slope from the edge of pavement to a line 20 feet distant from and parallel to the pavement and 10 inches below the edge of pavement.
- 2. One driveway entrance is permissible, not to exceed 32 feet in width. The driveway entrance may be flared as it approaches the pavement.
- 3. No structures, including buildings, permanent or portable signs, lights, displays, fences, walls, etc. shall be permitted on, over or under the Highway Right of Way.
- 4. The Highway Right of Way line is located 60 feet from and parallel to the centerline of highway pavement.
- 5. No parking, catering or servicing shall be conducted within the Highway Right of Way.
- The applicant shall comply with all applicable ordinances and regulations of the municipality or other State Agencies.
- 7. The driveway shall be constructed to the specifications of the attached plan/s.

Added pavement within the State Right of Way shall be constructed with 12 inches of 8. gravel base, 4 inches of crushed gravel and 3 inches of hot top.

Approved

District Engineer

For Director of Administration

Additional information attached Copies: District, Town, Patrolman

## Attachment to Driveway Permit 06-351-298

- 9. The applicant shall contact and coordinate with utility owners for the alteration and/or relocation of utilities as may be necessary. Cost of alteration/relocation shall be borne by the applicant.
- 10. The applicant shall notify the District Six Office of completion of the driveway. No new or additional occupancy shall be permitted until the driveway has been inspected and approved by the District Six Office.