

TABLE OF CONTENTS:

- SHEET 1 ~ NEIGHBORHOOD PLAN
- SHEET 2 ~ EXISTING CONDITIONS PLAN
- SHEET 3 ~ SITE PLAN
- SHEET 4 ~ GRADING PLAN
- SHEET 5 ~ R-101 & R-102 RAIN GARDENS 101 & 102
- SHEET 6 ~ LIGHTING PLAN
- SHEET 7 ~ E101-EROSION AND SEDIMENT CONTROL DETAILS
- SHEET 8 ~ C101-CONSTRUCTION DETAILS
- SHEET 9 ~ C102-CONSTRUCTION DETAILS

MINOR SITE PLAN FOR NANA'S DREAM, LLC DBA BELLAVISO SALON & SPA 643 FRANKLIN PIERCE HIGHWAY BARRINGTON, N.H. TAX MAP 239, LOT 1

OWNER: PETER R. & SARAH M. WARD
643 FRANKLIN PIERCE HIGHWAY
BARRINGTON, NH 03825

APPLICANT: NANA'S DREAM LLC
DBA BELLAVISO SALON & SPA
P.O. BOX #11
DOVER, NH 03821




ENGINEER OF RECORD: KENNETH A. BERRY, PE, LLS
CPSWQ, CPESC, CESSW
BERRY SURVEYING & ENGINEERING
335 SECOND CROWN POINT ROAD
BARRINGTON, NH 03825
(603) 332-2863

SURVEYOR OF RECORD: DAVID W. VINCENT, LLS
P.O. BOX 1622
DOVER, NH 03821
(603) 664-5786

WETLAND SCIENTIST: MISSION WETLAND & ECOLOGICAL SERVICES LLC
SERGIO BONILLA, CWS 261
P.O. BOX 4028
PORTSMOUTH, NH 03801
(603) 361-3204

VICINITY SKETCH
BARRINGTON, NH
SCALE: 1" = 500' ±

LOCATION PLAN
BARRINGTON, NH
NOT TO SCALE



LAND USE OFFICE

OCT 15 2019

RECEIVED

REQUIRED PERMITS:

- 1.) NHDOT PERMIT: 06-027-562
- 2.) NHDES SUBSURFACE SEPTIC: PENDING


GENERAL PLAN SET NOTES:

- 1.) 11x17" PLANS ARE HALF THE PUBLISHED SCALE.

REVISION	DATE	DESCRIPTION

MINOR SITE PLAN
FOR
BELLAVISO SALON & SPA
LAND OF
PETER R. & SARAH M. WARD
643 FRANKLIN PIERCE HIGHWAY
BARRINGTON, N.H. 03825
TAX MAP 239, LOT 1

BERRY SURVEYING & ENGINEERING
 335 SECOND CROWN POINT ROAD
 BARRINGTON, NH 03825 (603) 332-2863
 SCALE : AS SHOWN
 DATE : OCTOBER 13, 2019
 FILE NO. : DB 2019 - 129



ABBREVIATION LEGEND:

- E.O.G. EDGE OF GRAVEL
- BITUM. BITUMINOUS
- E.O.P. EDGE OF PAVEMENT
- TYP. TYPICAL
- U.D. UNDER DRAIN
- C.O. CLEAN OUT
- INV. INVERT
- ELEV. ELEVATION
- RECB. ROLLED EROSION CONTROL BLANKET
- F.G. FINISHED GRADE
- E.G. EXISTING GRADE
- T.B.R. TO BE REMOVED
- PL. PROPERTY LINE
- EL. EASEMENT LINE
- CF. CUBIC FEET
- EX. EXISTING
- PROP. PROPOSED
- '/'. FEET / FEET

- SSL () ~ [SIZE] SINGLE SOLID LINE (COLOR W=WHITE, Y=YELLOW)
- DSL () ~ [SIZE] DOUBLE SOLID LINE (COLOR W=WHITE, Y=YELLOW)
- SSB () ~ [SIZE] SINGLE SOLID W/ BROKEN LINE (COLOR W=WHITE, Y=YELLOW)
- SBL () ~ [SIZE] SINGLE BROKEN LINE (COLOR W=WHITE, Y=YELLOW)
- DBL () ~ [SIZE] DOUBLE BROKEN LINE (COLOR W=WHITE, Y=YELLOW)

EXISTING LEGEND:

- IRON BOUND (FND)
- REBAR (FND)
- RAILROAD SPIKE (FND)
- UTILITY POLE / GUY WIRE
- SINGLE POST SIGN

- BUILDING SETBACK LINE
- OVERHEAD UTILITIES
- EXISTING CONTOUR MINOR
- EXISTING CONTOUR MAJOR

PROPOSED LEGEND:

- LIGHTING
- PROPOSED SPOT ELEVATION
- PROPOSED UNDERDRAIN
- PROPOSED CONTOUR MINOR
- PROPOSED CONTOUR MAJOR
- SS --- SS --- SS --- FILTREXX SILT SOXX (8" or 12" AS NOTED)
- c --- c --- c --- ORANGE CONSTRUCTION PERIMETER FENCE

RIP RAP

LAND USE OFFICE


OCT 15 2019

RECEIVED


SIGN ID NUMBER	SIGN SIZE (WIDTH x HEIGHT)	SIGN	TEXT DIMENSIONS	NO. OF SIGNS	BACKGROUND	LEGEND	BORDER	POST SIZE & QUANTITY
R1-1	30"x30"		SEE STANDARD HIGHWAY SIGNS 2004 EDITION PUBLISHED BY USDOT - FHWA	1	RED	WHITE	WHITE	SQUARE (1)
R7-8	12"x18"		SEE STANDARD HIGHWAY SIGNS 2004 EDITION PUBLISHED BY USDOT - FHWA	1	WHITE	GREEN W/ WHITE SYMBOL ON BLUE	RED	SQUARE (1)
R7-8a	12"x6"		SEE STANDARD HIGHWAY SIGNS 2004 EDITION PUBLISHED BY USDOT - FHWA	1	WHITE	GREEN	GREEN	SQUARE (0)
R8-31	12"x18"		SEE STANDARD HIGHWAY SIGNS 2004 EDITION PUBLISHED BY USDOT - FHWA	2	WHITE	RED	RED	SQUARE (0)
R8-31	12"x18"		SEE STANDARD HIGHWAY SIGNS 2004 EDITION PUBLISHED BY USDOT - FHWA	3	WHITE	RED	RED	SQUARE (3)

ADJACENTS WITHIN 200':

- DAVID & GLENDA HENDERSON
1273 WINGED FOOT LN
DENVER, CO 80037
TAX MAP 239, LOT 1-1
- 1982 REAL ESTATE LLC
133 BROOK ST
ROCHESTER, NH
TAX MAP 239, LOT 2
S.C.D. BOOK 4054, PAGE 813
- MARK K & SHERRY B ROWELL
74 BLACKWATER RD
ROCHESTER, NH 03887
TAX MAP 239, LOT 3
S.C.D. BOOK 4054, PAGE 234
- VICTORIA J & NATHANIEL T LEAVITT
30 REVERDE FARM DR. APT B
LEE, NH 03861
TAX MAP 239, LOT 4
S.C.D. BOOK 4054, PAGE 278
- KIM P & DEBRA S BROOKS
27 STILLWATER WAY
BARRINGTON, NH 03825
TAX MAP 239, LOT 12
S.C.D. BOOK 2206, PAGE 72
- KJOSHUA J LEONE
MARY H ZELIE
654 FRANKLIN PIERCE HWY
TAX MAP 239, LOT 14
S.C.D. BOOK 4144, PAGE 3
- BARRINGTON HISTORICAL SOCIETY
82 MICHIGAN DR
BARRINGTON, NH 03825
TAX MAP 239, LOT 16



GIS SKETCH
BRRINGTON, NH
SCALE: 1" = 200' ±



REVISION	DATE	DESCRIPTION

NEIGHBORHOOD PLAN
FOR
BELLAVISO SALON & SPA
LAND OF
PETER R. & SARAH M. WARD
643 FRANKLIN PIERCE HIGHWAY
BARRINGTON, NH 03825
TAX MAP 239, LOT 1


BERRY SURVEYING & ENGINEERING
335 SECOND CROWN POINT ROAD
BARRINGTON, NH 03825 (603)352-2863
SCALE : AS SHOWN
DATE : OCTOBER 13, 2019
FILE NO. : DB 2019 - 129

- Legend:**
- D- Culvert
 - Drill Hole Found
 - Iron Rod Found
 - ⊕ Utility Pole
 - Stone Wall

Plan Reference:
 Subdivision Plan Prepared for David R. & Glenda J. Henderson, Barrington, NH, dated Sept. 21, 2005, rev. 8/11/06, prepared by this office, SCRD Plan 87-37.



- Notes:**
- 1.) The purpose of this plan is to depict the existing conditions of the subject property.
 - 2.) Parcel is shown as Lot 1 on the Town of Barrington Assessor's Map 230
 - 3.) Parcel is located in the Town Center Zoning District.
 - 4.) Owner of Record: Peter R. & Sarah M. Ward
 643 Franklin Pierce Highway
 Barrington, NH 03825
 SCRD Ek 3321, Pg 922
 Applicant: Hono's Dream LLC
 4/4/4 Bellaviso Salon & Spa
 PO Box 811
 Dover, NH 03821
 603-312-2629
 - 5.) This plan does not show any unrecorded or unwritten easements which may exist. A reasonable and diligent attempt has been made to observe any apparent, visible uses of the land; however this does not constitute that no such easements exist.
 - 6.) Parcel is not located in a Flood Hazard Zone as depicted on Flood Insurance Rate Map, No. 3301700265D & No. 3301700305E, Strafford County, NH, (28 Jurisdictions), Map Revised: September 20, 2015.
 - 7.) Total Lot Area: Existing Lot Area - 6.03 Acres
 - 8.) The licensed septic designer of this proposed subsurface septic system does not warrant nor guarantee the location of utilities shown or not shown on this plan. Pursuant to New Hampshire Statute RSA 374, Sections 47-55, the contractor, prior to the commencement of any construction, shall verify the location of all utilities and contact "DigSafe" at 1-800-344-7233 or dial 811.
 - 9.) The wetland boundaries shown hereon were field delineated July 25, 2019, by Sergio Bontia, NH Certified Wetland Scientist 281 of Mission Wetland & Ecological Services, LLC, Portsmouth, NH. The wetland boundaries were identified in accordance with the Lovin's wetland definition, which references the Corps of Engineers 1987 Wetland Delineation Manual. The delineated line also contains all wetlands as defined by the State of New Hampshire, which uses the technical criteria in the Regional Supplement to the Corps of Engineers Wetlands Delineation Manual: Northeast and Northcentral Region. The soil component was classified using the Field Indicators of Hydric Soils in the United States and the Field Indicators for Identifying Hydric Soils in New England. The wetland status of plants were determined using the National List of Plant Species that Occur in Wetlands: Northeast (Region 1).
 - 10.) Vertical Datum: USGS 1928.



LAND USE OFFICE
 OCT 15 2019
 RECEIVED



ZONING REQUIREMENTS

ZONE	TOWN CENTER
LOT AREA MIN.	20,000 FT.
LOT FRONTAGE	40 FT.
FRONT YARD	50 FT.
SIDE & REAR YARD	15 FT.
WETLANDS BUFFER	50 FT.
MAX. BUILDING HEIGHT	40 FT.
MAX. LOT COVERAGE	50%

EXISTING CONDITIONS PLAN
 PREPARED FOR
BELLA VISO SALON & SPA
 OF
TAX MAP 239 / LOT 1
 LOCATED AT
643 FRANKLIN PIERCE HIGHWAY
 COUNTY OF STRAFFORD
 BARRINGTON, NH




SCALE: 1" = 40' DATE: OCTOBER 14, 2019
DAVID W. VINCENT, LLS
LAND SURVEYING SERVICES
 PO BOX 1822
 DOVER, NH 03821
 TEL: (603) 664-5786
 www.landsurveyingservices.net

NO.	DATE	DESCRIPTION	BY
4			
3			
2			
1			

IMPERVIOUS COVER:

EXISTING BUILDING IMPERVIOUS AREA: 6,169 Sq. Ft. (2.3%)
 EXISTING IMPERVIOUS AREA: 16,889 Sq. Ft. (6.1%)
 TOTAL EXISTING IMPERVIOUS COVER: 22,068 Sq. Ft. (8.4%)
 PROPOSED BUILDING IMPERVIOUS AREA: 6,169 Sq. Ft. (2.3%)
 PROPOSED PAVED IMPERVIOUS AREA: 23,084 Sq. Ft. (8.6%)
 TOTAL PROPOSED IMPERVIOUS COVER IS 29,253 Sq. Ft. (11.3%)




NOTES:

- OWNER: PETER R. & SARAH M. WARD
643 FRANKLIN PIERCE HIGHWAY
BARRINGTON, NH 03825
- APPLICANT: NANA'S DREAM LLC
DBA BELLAVISO SALON & SPA
P.O. BOX 911
DOVER, NH 03821
- TAX MAP 239, LOT 1
- LOT AREA: 262,667 Sq. Ft., 8.03 Ac.
- S.O.R.D. BOOK 3521, PAGE 822
- ZONING: TOWN CENTER
FRONTAGE ~ 40.0'
MINIMUM LOT SIZE ~ 20,000 SQUARE FEET
FRONT SETBACK ~ 20.0'
NH ROUTE 125/9 SET BACK: ~ 50'
REAR SETBACK ~ 15.0'
SIDE SETBACK ~ 15.0'
COMMERCIAL/RESIDENTIAL BUFFER ~ 50.0'
WETLANDS/WATERBODY SETBACK ~ 50.0'
MAX. STRUCTURE HEIGHT: 40.0'
MAX. LOT COVERAGE FOR IMPERVIOUS SURFACE ~ 80.0%
- I HEREBY CERTIFY THAT, TO THE BEST OF MY KNOWLEDGE & BELIEF, PART OF THIS PARCEL DOES NOT FALL WITHIN THE FLOOD PLAIN HAZARD REF.: FEMA COMMUNITY# - 330178, MAP# - 330170305E, DATED: SEPTEMBER 30, 2015.
- FOR MORE INFORMATION ABOUT THIS SITE PLAN PLEASE CONTACT THE TOWN OF BARRINGTON LAND USE DEPARTMENT.
- AS-BUILT PLANS OF THE SITE SHALL BE SUBMITTED ON A REPRODUCIBLE MYLAR MEDIUM AND IN A DIGITAL DXF FORMAT ON DISK TO THE TOWN OF BARRINGTON PLANNING OFFICE UPON COMPLETION OF PROJECT. AS-BUILT PLANS SHALL BE PREPARED AND CERTIFIED CORRECT BY A L.L.S. OR P.E.
- UNDERGROUND UTILITY LOCATIONS ARE BASED UPON BEST AVAILABLE EVIDENCE AND ARE NOT FIELD VERIFIED. LOCATING AND PROTECTING ANY ABOVE AND BELOW GROUND UTILITIES IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR. ANY UTILITY CONFLICTS SHOULD BE REPORTED IMMEDIATELY TO THE DESIGN ENGINEER.
- PROPOSED ON-SITE UTILITIES SHALL BE INSTALLED UNDERGROUND.
- THE EXISTING HOUSE WILL REMAIN ON THE EXISTING WELL AND SEPTIC. THE PROPOSED SPA AND SALON WILL BE SERVICED BY A NEW SEPTIC SYSTEM AND WILL NOT UTILIZE THE EXISTING WELL.
- ALL MATERIALS AND CONSTRUCTION SHALL CONFORM TO APPLICABLE TOWN AND STATE CODES.
- ALL EROSION CONTROL NOTES SHALL INCLUDE PROVISIONS FOR CONSTRUCTION SEQUENCING, TEMPORARY EROSION CONTROL MEASURES, AND PERMANENT STANDARDS SUCH AS LOAM SPREAD RATE FOR DISTURBED AREAS, RATES OF LIME, TYPE AND RATES FOR FERTILIZER, AND SEED AND MULCH MIXTURE WITH RATES OF APPLICATION.
- THE LIMITS OF CONSTRUCTION DISTURBANCE SHALL BE STAKED, FLAGGED AND CLEARLY IDENTIFIED PRIOR TO THE COMMENCEMENT OF SITE WORK.

NOTES CONTINUED:

- A PRE-CONSTRUCTION CONFERENCE WITH THE DEVELOPER, THE DESIGN ENGINEER, THE EARTHWORK CONTRACTOR, AND THE TOWN ENGINEER SHALL OCCUR PRIOR TO ANY EARTH DISTURBING ACTIVITY.
- BUILDING ADDRESSES SHALL BE ASSIGNED BY THE BUILDING INSPECTOR AT THE TIME OF ISSUANCE OF A BUILDING PERMIT.
- THE FOLLOWING FEDERAL AND STATE PERMITS HAVE BEEN ISSUED FOR THE SUBJECT PROPERTY:
NH DOT DRIVEWAY PERMIT: 06-027-562
- THIS MINOR SITE PLAN PROPOSES APPROXIMATELY 25,000 SQ. FT. OF DISTURBANCE.
- CALL DIG SAFE PRIOR TO BEGINNING WORK (1-888-344-7233)
- ALL CONSTRUCTION SHALL CONFORM TO THE STATE OF NEW HAMPSHIRE DEPARTMENT OF TRANSPORTATION STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION. CONSTRUCTION SHALL ALSO CONFORM TO THE TOWN OF BARRINGTON POLICES AND PRACTICES, AND TOWN OF BARRINGTON SUBDIVISION REGULATIONS.
- WRITTEN DIMENSION ON THIS PLAN TAKE PRECEDENCE OVER SCALED DIMENSIONS. THE CONTRACTOR SHALL USE CAUTION WHEN SCALING REPRODUCED PLANS. IN THE EVENT OF A CONFLICT BETWEEN THIS PLAN SET AND ANY OTHER DRAWINGS AND/OR SPECIFICATIONS, THE ENGINEER SHALL BE NOTIFIED BY THE CONTRACTOR PRIOR TO CONSTRUCTION. CONTRACTOR IS TO CONFIRM ALL ELEVATIONS. CONFLICTS WILL BE REPORTED TO THE DESIGN ENGINEER PRIOR TO CONSTRUCTION.
- THERE IS CLEAR SITE DISTANCE IN BOTH THE EAST AND WEST DIRECTIONS AT THE PROPOSED ENTRANCE OF THE SITE.
- EXTERIOR LIGHTING SHALL BE CUT-OFF TYPE FIXTURES AND SHALL PROVIDE LIGHTING DIRECTED ON-SITE ONLY.
- CONTRACTOR SHALL COORDINATE ALL ELECTRICAL INSTALLATIONS WITH EVERSOURCE AT (603) 436-7708. ALL ELECTRIC CONDUIT INSTALLATION SHALL BE INSPECTED BY EVERSOURCE PRIOR TO BACKFILL. A 48-HOUR MINIMUM NOTICE IS REQUIRED.
- CONTRACTOR SHALL COORDINATE ALL TELECOMMUNICATIONS INSTALLATIONS WITH FAIRPOINT COMMUNICATIONS AT (603) 427-5525, AS APPLICABLE.
- CONTRACTOR SHALL COORDINATE ALL CABLE INSTALLATIONS WITH ATLANTIC BROADBAND.
- IF THE EARTHWORK IS PERFORMED DURING FREEZING WEATHER, EXPOSED SUBGRADES ARE SUSCEPTIBLE TO FROST. NO FILL OR UTILITIES SHALL BE PLACED ON FROZEN GROUND. THIS WILL LIKELY REQUIRE REMOVAL OF A FROZEN SOIL CRUST AT THE COMMENCEMENT OF EACH DAY'S OPERATION. THE FINAL SUBGRADE ELEVATION WOULD ALSO REQUIRE AN APPROPRIATE DEGREE OF INSULATION AGAINST FREEZING.
- PLACEMENT OF BORROW MATERIALS SHALL BE PERFORMED IN A MANNER THAT PREVENTS LONG TERM DIFFERENTIAL SETTLEMENT. EXCESSIVELY WET MATERIALS SHALL BE STOCKPILED AND ALLOWED TO DRAIN BEFORE PLACEMENT. FROZEN MATERIAL SHALL NOT BE USED FOR CONSTRUCTION. VOIDS BETWEEN STONES AND CLUMPS OF MATERIAL SHALL BE FILLED WITH FINE MATERIALS.
- THERE IS NO CHANGE TO THE FOOTPRINT OF THE PROPOSED BUILDING.





LAND USE OFFICE

OCT 15 2019

RECEIVED

PARKING REQUIREMENTS:
 PARKING STANDARDS BY USE
 * BARBER/BEAUTY SHOP
 ** 2 SPACES PER CHAIR
 *** 5 PROPOSED CHAIRS
 **** 5 CHAIRS / 2 SPACES PER CHAIR = 10 SPACES REQ.
 10 SPACES REQUIRED
 14 SPACES PROVIDED




REVISION	DATE	DESCRIPTION


SITE PLAN FOR
 BELLAVISO SALON & SPA
 LAND OF
 PETER R. & SARAH M. WARD
 643 FRANKLIN PIERCE HIGHWAY
 BARRINGTON, N.H. 03825
 TAX MAP 239, LOT 1

BERRY SURVEYING & ENGINEERING
 335 SECOND CROWN POINT ROAD
 BARRINGTON, NH 03825 (603) 332-2863
 SCALE: 1 IN. EQUALS 30 FT.
 DATE: OCTOBER 13, 2019
 FILE NO.: DB 2019 - 129





LAND USE OFFICE
OCT 15 2019
RECEIVED



NOTES:

1. OWNER: PETER R. & SARAH M. WARD
643 FRANKLIN PIERCE HIGHWAY
BARRINGTON, NH 03825
2. APPLICANT: MANA'S DRAM LLC
DBA BELLAVISO SALON & SPA
DOVER, NH 03821
3. TAX MAP 239, LOT 1
4. LOT AREA: 262,667 Sq. Ft., 6.03 Ac.
5. S.C.R.D. BOOK 3521, PAGE 922
6. THIS PROJECT SHALL BE CONSTRUCTED IN ACCORDANCE WITH NHDOT STANDARD SPECIFICATIONS DATED 2010. CURRENT STANDARD PLANS, SUPPLEMENTAL SPECIFICATIONS AND SPECIAL PROVISIONS INCLUDED IN THE PROPOSAL.
7. CONTRACTOR SHALL TAKE SPECIAL CARE IN NOT DISTURBING EXISTING MONUMENTS BOUNDS, AND OR BENCHMARKS WITHOUT FIRST MAKING PROVISIONS FOR RELOCATION.
8. THE LOCATIONS OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY AND HAVE NOT BEEN INDEPENDENTLY VERIFIED BY THE OWNER OR ITS REPRESENTATIVE. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK AND AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY THE CONTRACTOR'S FAILURE TO LOCATE EXACTLY AND TO PRESERVE ANY AND ALL UNDERGROUND UTILITIES CALL "100-848" 1-800-DISSAFE (344-7233) AT LEAST 72 HOURS BEFORE COMMENCING CONSTRUCTION.
9. WHERE AN EXISTING UNDERGROUND UTILITY IS FOUND TO CONFLICT WITH THE PROPOSED WORK, THE LOCATION, ELEVATION AND SIZE OF THE UTILITY SHALL BE ACCURATELY DETERMINED WITHOUT DELAY BY THE CONTRACTOR, AND THE INFORMATION FURNISHED TO THE ENGINEER FOR RESOLUTION OF THE CONFLICT.
10. AREAS OUTSIDE THE LIMITS OF PROPOSED WORK DISTURBED BY THE CONTRACTOR'S OPERATIONS SHALL BE RESTORED BY THE CONTRACTOR TO THEIR ORIGINAL CONDITION AT THE CONTRACTOR'S EXPENSE. LIMIT OF GRADING SHOULD NOT BE EXPANDED WITHOUT CONSULTING THE DESIGN ENGINEER. SEE ALSO E&S PLAN.
11. THE TERM "PROPOSED" (PROP.) MEANS WORK TO BE CONSTRUCTED USING NEW MATERIALS, OR, WHERE APPLICABLE, RE-USING EXISTING MATERIALS IDENTIFIED AS "REMOVE & RE-SET" (R & R).
12. ALL SYMBOLS, WORDS, TRANSVERSE MARKINGS (STOP BARS, CROSSWALK LINES, AND RAILROAD SYMBOLS), LAKE LINES, AND ALL OTHER MARKINGS NOTED WITH (T) SHALL BE THERMOPLASTIC.
13. ALL DISTURBED AREAS NOT DESIGNATED TO BE GRAVEL SHALL HAVE LOAM PLACED AND SEEDED. THE LOAM SHALL HAVE A MINIMUM DEPTH OF 4 INCHES AND SHALL BE PLACED FLUSH WITH THE TOP OF THE ADJACENT CURB, EDGING, BERM OR PAVEMENT SURFACE.
14. ALL ELEVATIONS TO BE VERIFIED BY THE CONTRACTOR PRIOR TO CONSTRUCTION. THE DESIGN ENGINEER IS TO BE NOTIFIED IMMEDIATELY OF ANY DISCREPANCY. TEMPORARY BENCHMARKS (T.E.M.) ARE TO BE PROVIDED BY THE DESIGN ENGINEER.
15. ALL TREATMENT SHALES TO BE CONSTRUCTED SHALL HAVE 500 BOTTOMS UNLESS OTHERWISE INSTRUCTED BY THE DESIGN ENGINEER DURING CONSTRUCTION.
16. A PRE-CONSTRUCTION CONFERENCE WITH THE DEVELOPER, THE DESIGN ENGINEER, THE TOWNWORKS CONTRACTOR AND DOVER CITY STAFF SHALL OCCUR PRIOR TO ANY EARTH DISTURBING ACTIVITY.
17. BUILDING ADDRESSES SHALL BE DETERMINED BY THE BUILDING OFFICIAL.
18. WRITTEN DIMENSION ON THIS PLAN TAKE PRECEDENCE OVER SCALED DIMENSIONS. THE CONTRACTOR SHALL USE CAUTION WHEN SCALING REPRODUCED PLANS. IN THE EVENT OF A CONFLICT BETWEEN THIS PLAN SET AND ANY OTHER DRAWINGS AND/OR SPECIFICATIONS, THE ENGINEER SHALL BE NOTIFIED BY THE CONTRACTOR PRIOR TO CONSTRUCTION. CONTRACTOR IS TO CONFIRM ALL ELEVATIONS. CONFLICTS WILL BE REPORTED TO THE DESIGN ENGINEER PRIOR TO CONSTRUCTION.
19. THE CONTRACTOR SHALL CALL AND COORDINATE WITH DISSAFE AT 1-888-344-7233 AT LEAST 72 HOURS PRIOR TO COMMENCING ANY EXCAVATION ON PUBLIC OR PRIVATE PROPERTY.
20. SEE DETAILS CONCERNING SITE LAYOUT, DRAINAGE, UTILITY, AND SEDIMENT AND EROSION CONTROLS.
21. SILT FENCE MAY BE SUBSTITUTED WITH FILTERED SILT SOAK OR EROSION CONTROL MAT BERM. SILT FENCE IS NOT A SUBSTITUTE FOR FILTERED SILT SOAK OR APPROVED EQUAL. HOWEVER, CONTRACTOR MAY SUBSTITUTE ORANGE SAFETY SALT FENCE FOR THE PERIMETER PROTECTION.
22. PER EPA CDP 2.1.2.2 (INSTALL PERIMETER CONTROL), "YOU MUST INSTALL SEDIMENT CONTROLS ALONG THOSE PERIMETER AREAS OF YOUR SITE THAT WILL RECEIVE STORMWATER FROM EARTH DISTURBING ACTIVITIES." AS A RESULT OF SWEEP INSPECTIONS, THE CONTRACTOR MAY HAVE TO EXPAND PERIMETER CONTROLS TO MEET THIS REQUIREMENT. THE E&S PLAN IS INITIAL GUIDANCE AS TO THE ANTICIPATED REQUIREMENTS AND IT IS THE CONTRACTOR'S RESPONSIBILITY TO ENSURE THAT STORMWATER VIOLATION DO NOT OCCUR.
23. CONTRACTOR SHALL INSTALL CONSTRUCTION ENTRANCES PRIOR TO ANY EARTH DISTURBING ACTIVITIES.
24. CHECK DAMS SHALL BE INSTALLED ONCE THE SWALES ARE GRADED.
25. IF, DURING CONSTRUCTION, IT BECOMES APPARENT THAT ADDITIONAL EROSION CONTROL MEASURES ARE REQUIRED TO STOP ANY EROSION ON THE CONSTRUCTION SITE DUE TO ACTUAL SITE CONDITIONS THE OWNER SHALL BE REQUIRED TO INSTALL THE NECESSARY EROSION PROTECTION AT NO EXPENSE TO THE TOWN.

SOILS & DEWATERING:


DcC	CLOUCESTER	FINE SANDY LOAM	K= .17
Sb	SAUGATUCK	LOAMY SAND	K= .17
WdA	WINDSOR	LOAMY SAND	K= .17

SEE SITE SPECIFIC SOILS MAP (SSSM)
SEE WEBSOL USDA-NRCS
ERODIBILITY FACTOR - K, CPESC MANUAL, ENVIROCENT INTERNATIONAL INC. & ROCKINGHAM COUNTY SOIL SURVEY, ROCKWEEB SOIL ATTRIBUTES

THE SOIL ERODIBILITY FACTOR (K) OF THE SOILS VARY FROM RELATIVELY LOW (K=0.17.) TO RELATIVELY HIGH (K=43) CONTRACTOR TO BE AWARE OF THE SOIL PROFILES AND ENSURE THAT PROPER EROSION PREVENTION AND SEDIMENT CONTROL MEASURES ARE TAKEN AT ALL TIMES. ANY DEWATERING REQUIREMENTS IN NEW HAMPSHIRE REQUIRE SPECIAL PROVISIONS IN ACCORDANCE WITH THE "CLARIFICATION OF SECTION 9.1.2 (STATE OF NEW HAMPSHIRE CONDITIONS) AND OTHER NH SPECIFIC INFORMATION FOR THE U.S. EPA 2012 NPDES CONSTRUCTION GENERAL PERMIT (CGP)" DATED MAY 3, 2012 INCLUDED IN THE SWPPP.

COVER MANAGEMENT DURING CONSTRUCTION FOR EXPOSED SOIL WILL INCLUDE HAY / STRAW APPLIED AT A RATE OF 2.0 TONS PER ACRE, TEMPORARY SEEDING OF ANNUAL RYE GRASS, AND PERMANENT SEEDING AT THE EARLIEST OPPORTUNITY. SEE ADDITIONAL REQUIREMENT FOR STABILIZATION ON THE EROSION AND SEDIMENT CONTROL DETAIL SHEETS, E-101 AND E-102.


THE CONSTRUCTION SCHEDULE WILL BE MANAGED SO THAT ALL STORMWATER STRUCTURES WILL BE BUILT AND STABILIZED PRIOR TO RECEIVING SURFACE WATER RUNOFF. CONTRACTOR TO BE RESPONSIBLE FOR ALL DIVERSIONS DURING CONSTRUCTION AND FOR INTERIM SEDIMENT AND EROSION CONTROL MEASURES.



REVISION	DATE	DESCRIPTION

GRADING & EROSION AND SEDIMENT CONTROL PLAN
FOR
BELLAVISO SALON & SPA
LAND OF
PETER R. & SARAH M. WARD
643 FRANKLIN PIERCE HIGHWAY
BARRINGTON, N.H. 03825
TAX MAP 239, LOT 1

BERRY SURVEYING & ENGINEERING
335 SECOND CROWN POINT ROAD
BARRINGTON, NH 03825 (603)332-2863
SCALE : 1 IN. EQUALS 20 FT.
DATE : OCTOBER 13, 2019
FILE NO. : DB. 2019 - 129



BIORETENTION FILTER MEDIA MIXTURES			
Component Material	Percent of Mixture by Volume	Gradation of material	
		Sieve No.	Percent by Weight Passing Standard Sieve
Bioretention Filter Media Option A			
ASTM C-33 concrete sand	50 to 55		
Loamy sand topsoil, with fines as indicated	20 to 30	200	15 to 25
Moderately fine shredded bark or wood fiber mulch, with fines as indicated	20 to 30	200	< 5

NOTES


- WHEN CONTRACTOR EXCAVATES RAIN GARDEN AREA TO SUBGRADE, DESIGN ENGINEER SHALL PERFORM SUBSURFACE EVALUATION PRIOR TO THE PLACEMENT OF ANY SELECT MATERIAL OR OTHER BACKFILL.
- SOIL BIORETENTION FILTER MEDIA SHALL BE AS SHOWN ABOVE. "BIO MEDIA" MEANS BIORETENTION FILTER MEDIA.
- COMPACTION IS NOT TO OCCUR IN THE RAIN GARDEN AREAS PRIOR TO CONSTRUCTION. SCARIFICATION REQUIRED IN THE EVENT COMPACTION TAKES PLACE.
- DO NOT PLACE THE BIORETENTION SYSTEM INTO SERVICE UNTIL THE BMP HAS BEEN PLANTED AND ITS CONTRIBUTING AREAS HAVE BEEN FULLY STABILIZED.
- DO NOT DISCHARGE SEDIMENT-LOADED WATER FROM CONSTRUCTION ACTIVITIES (RUNOFF WATER FROM EXCAVATIONS) TO THE BIORETENTION AREA DURING ANY STAGE OF CONSTRUCTION.
- DO NOT TRAFFIC EXPOSED SOIL SURFACE WITH CONSTRUCTION EQUIPMENT. IF FEASIBLE PERFORM EXCAVATIONS WITH EQUIPMENT POSITIONED OUTSIDE THE LIMITS OF THE INFILTRATION COMPONENTS OF THE SYSTEM.
- CENTER CORE OF THE BERM IS TO BE CONSTRUCTED UNDERNEATH THE EMERGENCY SPILLWAY.

MAINTENANCE REQUIREMENTS


- SYSTEMS SHOULD BE INSPECTED AT LEAST TWICE ANNUALLY, AND FOLLOWING ANY RAINFALL EXCEEDING 2.5 INCHES IN A 24-HOUR PERIOD, WITH MAINTENANCE OR REHABILITATION CONDUCTED AS WARRANTED BY SUCH INSPECTION.
- PRETREATMENT MEASURES SHOULD BE INSPECTED AT LEAST TWICE ANNUALLY, AND CLEANED OF ACCUMULATED SEDIMENT AS WARRANTED BY INSPECTION, BUT NO LESS THAN ONCE ANNUALLY.
- AT LEAST ONCE ANNUALLY, SYSTEM SHOULD BE INSPECTED FOR DRAINAGE TIME. IF BIORETENTION SYSTEM DOES NOT DRAIN WITHIN 72-HOURS FOLLOWING A RAINFALL EVENT, THEN A QUALIFIED PROFESSIONAL SHOULD ASSESS THE CONDITION OF THE FACILITY TO DETERMINE MEASURES REQUIRED TO RESTORE FILTRATION FUNCTION OR INFILTRATION FUNCTION (AS APPLICABLE), INCLUDING BUT NOT LIMITED TO REMOVAL OF ACCUMULATED SEDIMENTS OR RECONSTRUCTION OF THE FILTER MEDIA.
- VEGETATION SHOULD BE INSPECTED AT LEAST ANNUALLY, AND MAINTAINED IN HEALTHY CONDITION, INCLUDING PRUNING, REMOVAL, AND REPLACEMENT OF DEAD OR DISEASED VEGETATION, AND REMOVAL OF INVASIVE SPECIES.

DESIGN REFERENCES

- UNH STORMWATER CENTER
- NEW HAMPSHIRE STORMWATER MANAGEMENT MANUAL, VOLUME 2, DECEMBER 2008 AS AMENDED.





LOW PERMEABILITY MATERIAL GRADATION	
SI-EVE SIZE	% PASSING BY WEIGHT
#4	95 - 100
#40	80 - 95
#100	40 - 60
#200	25 - 45





RAIN GARDEN MIX




THE GRASS THAT IS PLANTED WITHIN A RAIN GARDEN BIO-FILTRATION SYSTEM WITHIN THE BIO-MEDIA MUST CONSIST OF A COMBINATION OF WARM SEASON GRASS SEED AND COLD SEASON GRASS SEED IN ORDER FOR THE GRASS TO START GROWING FOR STABILIZATION AND CONTINUE GROWING IN THE SANDY WELL-DRAINED ENVIRONMENT. PLANTING SPECIFICATION WILL MEET THE REQUIREMENTS AS OUTLINED IN "VEGETATION NEW HAMPSHIRE SAND AND GRAVEL PITS" MIX 1 (WARM SEASON GRASSES) (15 LBS/AC) AND INCLUDE ANNUAL AND PERENNIAL RYE GRASS SEED (15 LBS/AC); THE NEW ENGLAND NATIVE WARM SEASON GRASS MIX (23 LBS/AC) BY NEW ENGLAND WETLAND PLANTS, INC.; RAIN GARDEN MIX 180 (15 LBS/AC & 15 LBS/AC OF RYE) / RAIN GARDEN GRASS MIX 180-1 (20 LBS/AC & 10 LBS/AC OF RYE) BY ERNST CONSERVATION SEEDS; OR APPROVED EQUAL.



PROFILE VIEW RAIN GARDEN #101



PROFILE VIEW RAIN GARDEN #102




R101 & R102


REVISION	DATE	DESCRIPTION

RAIN GARDEN #101 & #102
 FOR
 BELLAVCO, LLC & SPA
 LAND OF
 PETER R. & SARAH M. WARD
 643 FRANKLIN PIERCE HIGHWAY
 BARRINGTON, N.H. 03825
 TAX MAP 239, LOT 1

BERRY SURVEYING & ENGINEERING
 335 SECOND CROWN POINT ROAD
 BARRINGTON, NH 03825 (603)332-2863
 SCALE: 1 IN. EQUALS 20 FT.
 DATE: OCTOBER 13, 2019
 FILE NO.: DB 2019 - 129



RECEIVED
 OCT 13 2019
 LAND USE OFFICE



- NOTES:**
- 1.) OWNER: PETER R. & SARAH M. WARD
843 FRANKLIN PIERCE HIGHWAY
BARRINGTON, NH 03825
 - 2.) APPLICANT: NANA'S DREAM LLC
DBA BELLAVISO SALON & SPA
P.O. BOX 911
DOVER, NH 03821
 - 3.) TAX MAP 239, LOT 1
 - 4.) LOT AREA: 262,667 Sq. Ft., 6.03 Ac.
 - 5.) S.C.R.D. BOOK 3521, PAGE 922
 - 6.) THE INTENT OF THIS PLAN IS TO PROVIDE THE LIGHTING SCHEME FOR THE PROPOSED PROJECT AT 124 MILTON ROAD.
 - 7.) ALL LAMPS ARE SHOWN ON THE SITE PLAN WITH LOCATION, TYPE AND HEIGHT.
 - 8.) SEE CONSTRUCTION DETAILS FOR PRODUCT CUT SHEETS.

Symbol	Label	Quantity	Manufacturer	Category	Description	Height	Number Lamps	Fixture	Lumens Per Fixture	Light Loss Factor	Wattage
☆	A	2		OSL210 SRC	GRAFFIGNO WALL MOUNTED DECORATIVE LANTERN ONE LAMP 13W SPIRAL COMPACT FLUORESCENT T. WHITE GLASS DIFFUSER 12" DIA. X 18" HIGH ELECTRONIC BALLAST	ONE 13-WATT T4 SPIRAL COMPACT FLUORESCENT T. VERTICAL POSITION	1	OSL10 BR Cite	900	1	12.6
□☆	B	1	Lithonia Lighting	MRT1 42TRT SR4SC	OMERGO ARCHITECTURAL ADJUSTABLE MOUNTED CUTOFF FLUMBAIRE WITH SEGMENTED TYPE IV SHARP CUTOFF REFLECTOR MEETS THE "NIGHTTIME FRIENDLY" CRITERIA	ONE 42-WATT TYPICAL TUBE COMPACT FLUORESCENT T. HORIZONTAL POSITION	1	MRT1 42TRT SR4SC.iss	3200	1	46
☆☆	C	1	Lithonia Lighting	MRF LED 42G 530 5WK SR4 MVOLT	MRF POST TOP LIGHT 42 LEDx 530 mA DRIVE CURRENT 50K COLOR TEMP TYPE 3 DISTRIBUTION		1	MRF LED 42 G 530 5WK SR4 MVOLT.iss	6048.315	1	76
▲	D	1	Lithonia Lighting	MWR LED P1 50W 40K 5VOLT	MWR LED 18W P1 PERFORMANCE PACKAGE, 4000K AND 50K OPTIC TYPE		1	MWR LED P1 50W 40K 5VOLT.iss	2160	1	19.56

Description	Symbol	Avg	Max	Min
Stat Zone # 1	☆	1.0 fc	2.6 fc	0.8 fc
Stat Zone # 2	☆☆	1.0 fc	2.5 fc	0.8 fc

REVISION	DATE	DESCRIPTION


LIGHTING PLAN
FOR
BELLAVISO SALON & SPA
LAND OF
PETER R. & SARAH M. WARD
643 FRANKLIN PIERCE HIGHWAY
BARRINGTON, N.H. 03825
TAX MAP 239, LOT 1

LAND USE OFFICE
OCT 15, 2019
RECEIVED
GRAPHIC SCALE
(IN FEET)
1 inch = 20 ft.

BERRY SURVEYING & ENGINEERING
335 SECOND CROWN POINT ROAD
BARRINGTON, NH 03825 (603)332-2863
SCALE : 1 IN. EQUALS 20 FT.
DATE : OCTOBER 13, 2019
FILE NO. : DB 2019 - 129

SHEET 6 OF 9

E1



SILT FENCE CONSTRUCTION SPECIFICATIONS
1. WOVEN WIRE FENCE TO BE FASTENED SECURELY TO FENCE POSTS WITH WIRE TIES OR STAPLES...

SILT FENCE DETAIL NOT TO SCALE

E5

NOTE: THIS PROJECT IS TO BE MANAGED IN A MANNER THAT MEETS THE REQUIREMENTS AND INTENT OF RSA 430:53 AND CHAPTER AGR 3800 RELATIVE TO INVASIVE SPECIES.

SEEDING GUIDE table with columns for USE, SEEDING METHOD, and SOIL CONDITION.

SEEDING SPECIFICATIONS

1. GRADING AND SHAPING
A. SLOPES SHALL NOT BE STEEPER THAN 2:1, 3:1 SLOPES OR FLATTER ARE PREFERRED.

E2

TEMPORARY EROSION CONTROL MEASURES

- 1. THE SMALLEST PRACTICAL AREA OF LAND SHALL BE EXPOSED AT ANY ONE TIME.
2. EROSION, SEDIMENT AND DETENTION MEASURES SHALL BE INSTALLED AS SHOWN ON THE PLANS...

E6


TABLE 7-24--RECOMMENDED RIP RAP GRADATION RANGES
450 SIZE= 0.5 FEET 6 INCHES

E7

WINTER STABILIZATION NOTES


- 1. ALL DISTURBED AREAS THAT DO NOT HAVE AT LEAST 85% VEGETATIVE COVERAGE PRIOR TO OCTOBER 15TH SHALL BE STABILIZED BY APPLYING MULCH AT A RATE OF 3-4 TONS PER ACRE.

E9



NOTES
1. ALL MATERIAL TO MEET FILTERREXX SPECIFICATIONS.
2. FILTER MEDIA FILL TO MEET APPLICATION REQUIREMENTS.


FILTREXX SEDIMENT CONTROL



Filterrexx International, LLC
35481 Grafton Eastern Rd | Grafton, Oh 44044
440-926-2807 | Fax: 440-926-4021
WWW.FILTREXX.COM OR APPROVED EQUAL

E4

CONSTRUCTION SAFETY FENCE



LEGEND
SAFT2 48" ORANGE FENCE, 12 FEET O.C.
SAFT1 48" ORANGE FENCE, 11 FEET O.C.

E8

DEFINITION OF STABLE:

- PER ENV-WQ 1500 ALTERATION OF TERRAIN
1. BASE COURSE GRAVELS HAVE BEEN INSTALLED IN AREAS TO BE PAVED.











REVISION table with columns for REVISION, DATE, and DESCRIPTION.

EROSION & SEDIMENT CONTROL DETAILS
BELLAVISO STACION & SPA
PETER B. & SUZAN M. WARD
645 FRANKLIN PIECE HIGHWAY
BARRINGTON, N.H. 03825
TAX MAP 239, LOT 7

BERRY SURVEYING & ENGINEERING
335 SECOND CROWN POINT ROAD
BARRINGTON, NH 03825 (603)352-2863
AS NOTED
DATE: OCTOBER 13, 2019
FILE NO.: DB 2019 - 129



RECEIVED
OCT 13 2019
LAND USE OFFICE



REVISION	DATE	DESCRIPTION

CONSTRUCTION DETAILS FOR BELLAVISO SACON & SPA PETER B. & SARAH M. WARD 643 FRANKLIN PIERCE HIGHWAY BARRINGTON, N.H. 03825 TAX MAP 239, LOT 1

BERRY SURVEYING & ENGINEERING 335 SECOND CROWN POINT ROAD BARRINGTON, NH 03825 (603)332-2863 AS NOTED DATE: OCTOBER 13, 2019 FILE NO.: DB 2019 - 129
--

LAND USE OFFICE
OCT 15 2019
RECEIVED


C9



MRP LED Area Luminaire

Specifications

Height	12.5"
Width	12.5"
Depth	12.5"
Weight	12.5 lbs



55ft+ Capable Luminaire
 This luminaire is designed to be used in a variety of applications and is available in a variety of colors and finishes. It is designed to be used in a variety of applications and is available in a variety of colors and finishes. It is designed to be used in a variety of applications and is available in a variety of colors and finishes.

EXAMPLE: MRP LED 420 300 40X 515VOLT 0028XD

QTY	DESCRIPTION	UNIT	PRICE	TOTAL
1	MRP LED 420 300 40X 515VOLT 0028XD	EA	12.50	12.50


LAMP "C" MOUNTED 22' ABOVE GRADE



WSR LED Architectural Wall Sconce

Specifications

Height	12.5"
Width	12.5"
Depth	12.5"
Weight	12.5 lbs



Introduction
 Clear Architectural Wall Sconce with the LED technology. Long life, maintenance free product with special energy saving of 80% compared to most halogen sconces. The energy saving feature is a possible energy saving lighting without the use of a ballast or transformer. The WSR LED is also for replacing existing 50-250W metal halide wall sconces. The expected service life is 50,000 hours.

EXAMPLE: WSR LED F2 40X 383 515VOLT 0028XD

QTY	DESCRIPTION	UNIT	PRICE	TOTAL
1	WSR LED F2 40X 383 515VOLT 0028XD	EA	12.50	12.50


LAMP "D" MOUNTED 10' ON BUILDING



MRT1 LED Area Luminaire

Specifications

Height	12.5"
Width	12.5"
Depth	12.5"
Weight	12.5 lbs




Introduction
 The MRT1 luminaire is designed to be used in a variety of applications and is available in a variety of colors and finishes. It is designed to be used in a variety of applications and is available in a variety of colors and finishes. It is designed to be used in a variety of applications and is available in a variety of colors and finishes.

EXAMPLE: MRT1 LED 420 300 40X 515VOLT 0028XD


QTY	DESCRIPTION	UNIT	PRICE	TOTAL
1	MRT1 LED 420 300 40X 515VOLT 0028XD	EA	12.50	12.50

LAMP "B" MOUNTED 80' ABOVE GRADE




TYPICAL RESIDENTIAL LAMP TYPE "A" NOT TO SCALE

C10




BOLLARD DETAIL NOT TO SCALE


C11




DUMPSTER SLAB DETAILS NOT TO SCALE



DUMPSTER ENCLOSURE DETAIL SCALE: 1/2" = 1'-0"




DUMPSTER ENCLOSURE DETAIL SCALE: 1/2" = 1'-0"



SECTION VIEW DUMPSTER PAD & CONCRETE PAVEMENT NOT TO SCALE

NOTES:
 1.) DUMPSTER PAD WILL BE SCREENED BY STOCKADE FENCE.
 2.) CONFIGURATION WILL ENCLOSE 2-3 YARD DUMPSTERS.

C12



GRAVEL SECTION NOT TO SCALE

REVISION	DATE	DESCRIPTION

CONSTRUCTION DETAILS FOR BELLAVISO SALON & SPA LAND OFFICE M. WARD 645 FRANKLIN PIECE HIGHWAY BARRINGTON, N.H. 03825 TAX MAP 289, LOT 1

BERRY SURVEYING & ENGINEERING 335 SECOND CROWN POINT ROAD BARRINGTON, NH 03825 (603)332-2863 AS NOTED DATE: OCTOBER 13, 2019 FILE NO.: DB 2019 - 129



LAND USE OFFICE OCT 15 2019 RECEIVED