

Site Plan Waiver Request Form

Under Site Plan Regulations 3.9.8-Waivers and Article 8-Waiver Procedure

If there is more than one waiver requested, each waiver request is to be individually listed and described, as each waiver is considered individually by the Town of Barrington Planning Board. A petition for waiver shall be submitted in writing by the applicant with the application for review. The request shall fully state the grounds for which the waiver is requested and all facts supporting this request with reference to the applicable Barrington Site Plan Regulations article, section and paragraph. **Each waiver granted shall be listed on the approved site plan.**

Name of Site Plan (See Title Box): Wildlife Encounters

Case Number: _____

Site Location: TAX MAP 249 LOT 32 & MAP 250 LOT 33

Zoning District(s): Neighborhood Residential

Owner (s): DWSX2 Holding Holdings LLC - C/O Derek Small

Address of Owner(s): 270 Beauty Hill Rd - Barrington, NH 03867

Address Line 2: _____

Name of Applicant (if different from owner): Farwell Engineering Services, LLC - Tobin Farwell

Phone Number 603-292-5787 Email _____

Land Surveyor: Stonewall Surveying - Ray Bisson

I _____ seek the following waiver to the Town of Barrington Site Plan regulations for the above case submittal:

Waiver from pipe size diameter of 15" - Per SR 4.7.7(1) - minimum allowable diameter in any storm drain system shall be 15"

A 12" diameter pipe is being requested for the outlet of the detention basin. There is more than adequate capacity in a 12" pipe. The detention basin is not being driven on and is structurally sound.

Signature of Owner/Applicant

Date