

Site Plan Waiver Request Form

Under Site Plan Regulations 3.9.8-Waivers and Article 8-Waiver Procedure

If there is more than one waiver requested, each waiver request is to be individually listed and described, as each waiver is considered individually by the Town of Barrington Planning Board. A petition for waiver shall be submitted in writing by the applicant with the application for review. The request shall fully state the grounds for which the waiver is requested and all facts supporting this request with reference to the applicable Barrington Site Plan Regulations article, section and paragraph. **Each waiver granted shall be listed on the approved site plan.**

Name of Site Plan (See Title Box): Barrington Shores

Case Number: 121-28-GR-20-SR

Site Location: 7 Barrington Shores Drive

Zoning District(s): General Residential

Owner (s): Barrington Shores, LLC Mr. Todd Green

Address of Owner(s): 240 Revere Street Winthrop MA 02152

Address Line 2: _____

Name of Applicant (if different from owner): Farwell Engineering Services, LLC - Tobin Farwell

Phone Number 603-292-5787

Email T_farwell@farwellengineering.com

Land Surveyor: Stonewall Surveying - Ray Bisson

I Tobin Farwell seek the following waiver to the Town of Barrington Site Plan regulations for the above case submittal: Article 4.7.2(10) - Water quality treatment shall be designed to NHDES Standards.

The site has limited space in this area to provide a sedimentation Forebay as required by NHDES We are proposing a stormwater filtration system by Shea Concrete V2B1.

RECEIVED

MAR 29 2021

LAND USE OFFICE

Signature of Owner/Applicant

Date

Site Plan Waiver Request Form

Under Site Plan Regulations 3.9.8-Waivers and Article 8-Waiver Procedure

If there is more than one waiver requested, each waiver request is to be individually listed and described, as each waiver is considered individually by the Town of Barrington Planning Board. A petition for waiver shall be submitted in writing by the applicant with the application for review. The request shall fully state the grounds for which the waiver is requested and all facts supporting this request with reference to the applicable Barrington Site Plan Regulations article, section and paragraph. **Each waiver granted shall be listed on the approved site plan.**

Name of Site Plan (See Title Box): Barrington Shores

Case Number: 121-28-GR-20-SR

Site Location: 7 Barrington Shores Drive

Zoning District(s): General Residential

Owner (s): Barrington Shores, LLC Mr. Todd Green

Address of Owner(s): 240 Revere Street Winthrop MA 02152

Address Line 2: _____

Name of Applicant (if different from owner): Farwell Engineering Services, LLC - Tobin Farwell

Phone Number 603-292-5787 Email T_farwell@farwellengineering.com

Land Surveyor: Stonewall Surveying - Ray Bisson

I Tobin Farwell seek the following waiver to the Town of Barrington Site Plan regulations for the above case submittal: Article 4.7.7(3) - Mimimum depth of cover for storm drain 36 inches.

The culverts in the road meet the requirement. The cross country runs are less than 36" but will not see wheel loading. These pipes are privately owned and maintained.

RECEIVED

MAR 29 2021

LAND USE OFFICE

Signature of Owner/Applicant

Date