

# TEST PIT LOG

JN 22179  
November 28, 2022

Susan Johnson & Linda Kohrs

MAP 260, PROPOSED LOTS 7, 7-2 & 7-3  
368 Merry Hill Road,  
Barrington, NH

## TEST PIT 1

0" - 10" 10YR3/2 LOAM TOPSOIL, COMMON ROOTS.

10" - 22" 10YR4/3 LOAMY SAND, GRANULAR, FRIABLE, LARGE STONES PRESENT.

22" - 60" 10YR5/4 LOAMY SAND, GRANULAR, FRIABLE, FIRM IN PLACE, LARGE STONES PRESENT.

60" - 74" 10YR5/4 LOAMY SAND, GRANULAR, FRIABLE, FIRM IN PLACE, REDOXIMORPHIC CONCENTRATIONS PRESENT BELOW 60".

74" NO REFUSAL, WATER OBSERVED AT 74", ESTIMATED SEASONAL HIGH WATER TABLE AT 60".

PERC. 10 MPI @ 30"

## TEST PIT 2

0" - 8" 10YR3/2 LOAM TOPSOIL, COMMON ROOTS.

8" - 52" 10YR5/4 LOAMY SAND, GRANULAR, FRIABLE, FIRM IN PLACE.

52" - 65" 10YR5/4 LOAMY SAND, GRANULAR, FRIABLE, FIRM IN PLACE, REDOXIMORPHIC CONCENTRATIONS PRESENT BELOW 52".

65" NO REFUSAL, NO OBSERVED WATER, ESTIMATED SEASONAL HIGH WATER TABLE AT 52".

PERC. 10 MPI @ 30"

RECEIVED

DEC 13 2022

LAND USE OFFICE

**TEST PIT 3**

0" - 5" 10YR3/2 LOAM TOPSOIL, COMMON ROOTS.

5" - 65" 10YR5/4 LOAMY SAND, GRANULAR, FRIABLE, FIRM IN PLACE.

65" - 78" 10YR5/4 LOAMY SAND, GRANULAR, FRIABLE, FIRM IN PLACE, REDOXIMORPHIC CONCENTRATIONS PRESENT BELOW 65".

78" NO REFUSAL, NO OBSERVED WATER, ESTIMATED SEASONAL HIGH WATER TABLE AT 65".

PERC. 10 MPI @ 30"

**TEST PIT 4**

0" - 10" 10YR3/2 LOAM TOPSOIL, COMMON ROOTS.

10" - 60" 10YR5/4 LOAMY SAND, GRANULAR, FRIABLE, FIRM IN PLACE.

60" NO REFUSAL, NO OBSERVED WATER, NO APPARENT SEASONAL HIGH WATER TABLE.

PERC. 10 MPI @ 30"

**TEST PIT 5**

0" - 5" 10YR3/2 LOAM TOPSOIL, COMMON ROOTS.

5" - 24" 10YR4/3 LOAMY SAND, GRANULAR, FRIABLE.

24" - 56" 10YR5/4 LOAMY SAND, GRANULAR, FRIABLE, FIRM IN PLACE.


56" - 70" 10YR5/4 LOAMY SAND, GRANULAR, FRIABLE, FIRM IN PLACE, REDOXIMORPHIC CONCENTRATIONS PRESENT BELOW 56".

70" NO REFUSAL, NO OBSERVED WATER, ESTIMATED SEASONAL HIGH WATER TABLE AT 56".

PERC. 10 MPI @ 30"

**TEST PIT 6**

- 0" - 7" 10YR3/2 LOAM TOPSOIL, COMMON ROOTS.
- 7" - 23" 10YR4/3 LOAMY SAND, GRANULAR, FRIABLE.
- 23" - 65" 10YR5/4 LOAMY SAND, GRANULAR, FRIABLE, FIRM IN PLACE.
- 65" - 70" 10YR5/4 LOAMY SAND, GRANULAR, FRIABLE, FIRM IN PLACE, WATER OBSERVED AT 65", NO REDOXIMORPHIC FEATURES PRESENT.
- 70" NO REFUSAL, WATER OBSERVED AT 65", ESTIMATED SEASONAL HIGH WATER TABLE AT 65".
- PERC. 10 MPI @ 30"



RECEIVED

DEC 13 2022

LAND USE OFFICE